



SUNGOLD GLOBAL ENTERPRISE SDN.BHD



Catalog Product



Sungold Global Enterprise SDN. BHD. focuses on facilitating the distribution of Polymers, Tin Ingot, Aluminium Ingot, Coal, and Silica Sand, connecting manufacturers with global markets.



SUNGOLD GLOBAL ENTERPRISE SDN.BHD

The Company

Sungold Global Enterprise SDN.BHD is a national private company established in 2005, Sungold Global Enterprise or commonly called Sungold Asia is located in Kuala Lumpur, Malaysia. Our company is a leading supplier of commodities and mass products for the local Malaysian market.



20+

YEARS OF EXPERIENCE

100+

EMPLOYEES STRENGTH

400 +

SUPPLIERS

800+

HAPPY CLIENTS





SUNGOLD GLOBAL ENTERPRISE SDN.BHD



PET

Polypropylene Terephthalate



TEREPHTHALATE POLYPROPYLENE

Sungold Global Enterprise SDN. BHD.range of PET plastic is Polyethylene terephthalate, referred to as PET or PETP. Poly-terephthalic ACID-based plastic, mainly including polyethylene terephthalate PET and polybutylene terephthalate PBT. Polyethylene terephthalate also known as polyester Resin. It is a condensate of terephthalic acid and ethylene glycol, together with PBT, referred to as thermoplastic polyester or saturated polyester.

APPLICATIONS

Typical customer applications include:

- » Water bottle
- » Carbonated soft drinks
- » Packaging trays and blister
- » Film to use in tape application
- » Cosmetic jars
- » Microwave containers
- » Mesh fabrics in printing
- » Filter oil and agricultural
- » Wiper arm and Gear housing
- » Engine cover
- » Connector housing
- » Safety and technical information for PP you may get by contacting our Marketing Staff and Technical Support.





SPEC

Terephthalate

No.	Code Part	Method	Intrinsic Viscosity	Crystalline Density	Characteristic	Application
1	PET 210 X	Bottle Grade	0.8 ± 0.02	<1390	Medium IV, Crystalline, High Molecular Weight Thermoplastic	Bottles For Carbonated Drinks, Bottles for General Packaging (e.g., Edible Oil & Thermoformed Packaging)
2	PET 211 X		0.76 ± 0.02	<1390	Crystalline, Low I.V, Low Acetaldehyde During Melting	Bottles For Water, Non-Carbonated, Other Packaging Applications
3	PET 212 X		0.84 ± 0.02	<1390	Crystalline, High I.V And Confers Good, Low Acetaldehyde, High Burst Strengths, Reduced Bottle Distension After Filling	Bottles For Carbonated Drinks, Bottles for Non-Carbonated, Other Packaging Applications, (e.g., Edible Oil & Thermoformed Packaging)
4	PET 60 Y	Medical Grade	0.6 ± 0.02	<1390	High Product Quality, Consistency and A High Level of Purity, Crystalline, Exhibits Easy Flow Ability	Healthcare Applications, Thin-Walled Injection Molding, Medical Blood Tubes
5	PET 80 Y		0.8 ± 0.02	<1390	High Product Quality, Consistency and A High Level of Purity., Crystalline	Healthcare Applications, Pharma Bottles, Containers and Not for Parenteral Use
6	PET Q-001	Injection Molding	0.86 ± 0.02	<1390	Slow Crystallizing Rate	Gallon Refillable Water Container, Thick-Walled Moulding and Extrusion
7	PET Z-001	Blow Molding	0.84 ± 0.02	<1390	High Intrinsic Viscosity	CSD Applications (Aerated water for tropical conditions), APET Sheet, Agrochemical Applications



Help businesses succeed by providing them with innovative and effective solutions.





SUNGOLD GLOBAL ENTERPRISE SDN.BHD

Contact Us



**SUNGOLD GLOBAL
ENTERPRISE
SDN.BHD**

Phone

+60 32-181 4530

Mail

info@sungoldasia.com.my

Website

www.sungoldasia.com.my